

# **Safety Data Sheet**

Issue Date: 01-Apr-2021 Revision Date: 20-Apr-2021 Version 1

# 1. IDENTIFICATION

## Product identifier

**Product Name DNA Control PI** 

**Product Code** 05-7303

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory chemicals

## Details of the supplier of the safety data sheet

## **Manufacturer Address**

Sysmex Americas 577 Aptakisic RD Lincolnshire, IL 60069 USA

## Emergency telephone number

Initial supplier phone number **Emergency Telephone** 

(224) 543-9500 Chemtel 800-255-3924

# 2. HAZARDS IDENTIFICATION

Appearance Light red liquid Physical state Liquid **Odour** Slightly pungent

## Classification

Skin sensitisation	Category 1
Carcinogenicity	Category 1A

# **Label elements**

## Signal word Danger

## **Hazard statements**

May cause an allergic skin reaction May cause cancer



**Precautionary Statements - Prevention** Obtain special instructions before use

EN / HGHS

Page 1/9

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapours/spray Contaminated work clothing should not be allowed out of the workplace

## **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap

Take off all contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention

## **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable.

## <u>Mixture</u>

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number	Date HMIRA filed and date exemption granted (if applicable)
			(HMIRA registry #)	
Methanol	67-56-1	0.1-1	-	-
Formaldehyde	50-00-0	0.1-1	-	-

# 4. FIRST AID MEASURES

## **Description of first aid measures**

**General advice** Provide this SDS to medical personnel for treatment.

**Eye contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a doctor.

**Skin contact** Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin

irritation or rash occurs: Get medical advice/attention.

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

## Most important symptoms and effects, both acute and delayed

**Symptoms** May cause an allergic skin reaction. May cause cancer.

## Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

# 5. FIREFIGHTING MEASURES

EN / HGHS Page 2/9

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media Not determined.

Specific hazards arising from the

chemical

Not determined.

**Explosion Data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

# 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

**Personal precautions**Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

## Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Keep in suitable, closed containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Wear protective gloves/protective clothing and eye/face protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not

be allowed out of the workplace.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

EN / HGHS Page 3/9

#### **Exposure Limits**

Chemical name	Canada - Alberta - Occupational Exposure	Canada - British Columbia -	Canada - Ontario - Occupational Exposure	Quebec
		Occupational Exposure Limits - Ceilings		
Formaldehyde 50-00-0	Ceiling: 1 ppm Ceiling: 1.3 mg/m <sup>3</sup> TWA: 0.75 ppm TWA: 0.9 mg/m <sup>3</sup>	TWA: 0.1 ppm STEL: 0.3 ppm Dermal Sensitizer, Respiratory Sensitizer	TWA: 0.1 ppm STEL: 1 ppm	Ceiling: 2 ppm Ceiling: 3 mg/m <sup>3</sup>
Methanol 67-56-1	TWA: 200 ppm TWA: 262 mg/m³ STEL: 250 ppm STEL: 328 mg/m³ Skin	TWA: 200 ppm STEL: 250 ppm Skin	TWA: 200 ppm STEL: 250 ppm Skin	TWA: 200 ppm TWA: 262 mg/m³ STEL: 250 ppm STEL: 328 mg/m³ Skin

## **Appropriate engineering controls**

**Engineering controls** Apply technical measures to comply with the occupational exposure limits.

#### Individual protection measures, such as personal protective equipment

Eye/face protection If necessary, refer to appropriate regulations and standards.

Skin and body protection Wear protective gloves and protective clothing. If necessary, refer to appropriate

regulations and standards.

Respiratory protection If necessary, refer to appropriate regulations and standards.

Handle in accordance with good industrial hygiene and safety practice. General hygiene considerations

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Light red liquid Colour light red Odour Slightly pungent **Odour Threshold** Not determined

Remarks • Method Property Values

Not determined Hq Melting point / freezing point Not determined Boiling point / boiling range Not determined Flash point Not determined **Evaporation Rate** Not determined Flammability (Solid, Gas) Not determined

Flammability Limit in Air

Upper flammability or explosive Not determined

limits

Lower flammability or explosive Not determined

limits

**Vapour Pressure** Not determined **Vapour Density** Not determined **Relative Density** Not determined **Water Solubility** Not determined **Property** 

Values

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** Not determined Remarks • Method

EN / HGHS Page 4/9

Decomposition temperatureNot determinedKinematic ViscosityNot determinedDynamic ViscosityNot determinedExplosive propertiesNot determinedOxidising propertiesNot determined

Other information

Softening Point

Molecular weight

VOC Content (%)

Liquid Density

Bulk density

Not determined
Not determined
Not determined
Not determined
Not determined

# 10. STABILITY AND REACTIVITY

**Reactivity** Not reactive under normal conditions.

**Chemical stability** Stable under normal conditions.

Possibility of hazardous reactions 
None under normal processing.

**Conditions to Avoid** Keep out of reach of children.

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

## **Product Information**

**Eye contact** Avoid contact with eyes.

**Skin contact** Avoid contact with skin.

**Inhalation** Do not inhale.

**Ingestion** Do not ingest.

## Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Please see section 4 of this SDS for symptoms.

**Acute toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 25,000.0000 mg/kg

 ATEmix (dermal)
 75,000.00 mg/kg

 ATEmix (inhalation-dust/mist)
 125.20 mg/L

 ATEmix (inhalation-vapour)
 1,500.00 mg/L

Unknown acute toxicity No information available

#### **Component Information**

		D 11 DE0	
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Chloride	= 3 g/kg (Rat)	> 10000 mg/kg ( Rabbit )	> 42 g/m³(Rat)1 h

EN / HGHS Page 5/9

7647-14-5			
Formaldehyde 50-00-0	= 100 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 0.578 mg/L (Rat)4 h
Methanol 67-56-1	= 6200 mg/kg(Rat)	= 15840 mg/kg(Rabbit)	= 22500 ppm (Rat) 8 h
Alcohols, C11-15, secondary 68131-40-8	= 2100 mg/kg(Rat)	> 2000 mg/kg (Rat)	-
Potassium Chloride 7447-40-7	= 2600 mg/kg ( Rat )	-	-
Glucose 50-99-7	= 25800 mg/kg(Rat)	-	-
EDTA 60-00-4	> 2000 mg/kg (Rat)	-	-
Potassium Phosphate 7778-77-0	= 3200 mg/kg(Rat)	-	-

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Respiratory or skin sensitisation** May cause an allergic skin reaction.

Carcinogenicity May cause cancer.

Chemical name	ACGIH	IARC	NTP	OSHA
Formaldehyde	A1	Group 1	Known	X
50-00-0				

Legend

**ACGIH (American Conference of Governmental Industrial Hygienists)** 

A1 - Known Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labour)

X - Present

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Sodium Chloride	-	4747 - 7824: 96 h	-	340.7 - 469.2: 48 h
7647-14-5		Oncorhynchus mykiss		Daphnia magna mg/L

EN / HGHS Page 6/9

Revision Date: 20-Apr-2021

		mg/L LC50 flow-through		EC50 Static
		5560 - 6080: 96 h		1000: 48 h Daphnia
		Lepomis macrochirus		magna mg/L EC50
		mg/L LC50 flow-through		
		6020 - 7070: 96 h		
		Pimephales promelas		
		mg/L LC50 static		
		6420 - 6700: 96 h		
		Pimephales promelas		
		mg/L LC50 static		
		12946: 96 h Lepomis		
		macrochirus mg/L LC50		
		static		
		7050: 96 h Pimephales		
		promelas mg/L LC50		
		semi-static		
Methanol	_	13500 - 17600: 96 h	_	-
67-56-1		Lepomis macrochirus		
0, 00 1		mg/L LC50 flow-through		
		18 - 20: 96 h		
		Oncorhynchus mykiss		
		mL/L LC50 static		
		19500 - 20700: 96 h		
		Oncorhynchus mykiss		
		mg/L LC50 flow-through		
		28200: 96 h Pimephales		
		promelas mg/L LC50		
		flow-through		
		100: 96 h Pimephales		
		promelas mg/L LC50		
İ		promoted mg/L Loop		
		static		
Formaldehyde	-		EC50 = 1.2 mg/L 1 h	11.3 - 18: 48 h Daphnia
Formaldehyde 50-00-0	-	static 0.032 - 0.226: 96 h		11.3 - 18: 48 h Daphnia magna mg/L EC50 Static
	-	static 0.032 - 0.226: 96 h Oncorhynchus mykiss	EC50 = 16.5 mg/L 30 min	magna mg/L EC50 Static
	-	static 0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h	magna mg/L EC50 Static 2: 48 h Daphnia magna
	-	static 0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50
	-	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50
	-	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50
	-	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50
	-	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50
	-	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50
	-	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50
	-	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50
	-	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50
	-	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50
	-	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50
	-	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50
	-	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50
50-00-0	-	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min EC50 = 9.0 mg/L 5 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50
50-00-0	- 2500: 72 h	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min EC50 = 9.0 mg/L 5 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50  825: 48 h Daphnia magna
50-00-0	2500: 72 h Desmodesmus	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min EC50 = 9.0 mg/L 5 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50
50-00-0		static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min EC50 = 9.0 mg/L 5 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50  825: 48 h Daphnia magna
50-00-0	Desmodesmus	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static 750 - 1020: 96 h Pimephales promelas mg/L LC50 static	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min EC50 = 9.0 mg/L 5 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50  825: 48 h Daphnia magna mg/L EC50
50-00-0	Desmodesmus	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static 750 - 1020: 96 h Pimephales promelas mg/L LC50 static	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min EC50 = 9.0 mg/L 5 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50  825: 48 h Daphnia magna mg/L EC50 83: 48 h Daphnia magna
50-00-0	Desmodesmus	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static 750 - 1020: 96 h Pimephales promelas mg/L LC50 static	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min EC50 = 9.0 mg/L 5 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50  825: 48 h Daphnia magna mg/L EC50 83: 48 h Daphnia magna
50-00-0	Desmodesmus	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static 750 - 1020: 96 h Pimephales promelas mg/L LC50 static 1060: 96 h Lepomis macrochirus mg/L LC50	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min EC50 = 9.0 mg/L 5 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50  825: 48 h Daphnia magna mg/L EC50 83: 48 h Daphnia magna
50-00-0	Desmodesmus	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static 750 - 1020: 96 h Pimephales promelas mg/L LC50 static 1060: 96 h Lepomis macrochirus mg/L LC50	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min EC50 = 9.0 mg/L 5 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50  825: 48 h Daphnia magna mg/L EC50 83: 48 h Daphnia magna
50-00-0	Desmodesmus	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static 750 - 1020: 96 h Pimephales promelas mg/L LC50 static 1060: 96 h Lepomis macrochirus mg/L LC50	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min EC50 = 9.0 mg/L 5 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50  825: 48 h Daphnia magna mg/L EC50 83: 48 h Daphnia magna
50-00-0	Desmodesmus	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static 750 - 1020: 96 h Pimephales promelas mg/L LC50 static 1060: 96 h Lepomis macrochirus mg/L LC50	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min EC50 = 9.0 mg/L 5 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50  825: 48 h Daphnia magna mg/L EC50 83: 48 h Daphnia magna
Potassium Chloride 7447-40-7	Desmodesmus subspicatus mg/L EC50	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static 750 - 1020: 96 h Pimephales promelas mg/L LC50 static 1060: 96 h Lepomis macrochirus µg/L LC50 static	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min EC50 = 9.0 mg/L 5 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50  825: 48 h Daphnia magna mg/L EC50 83: 48 h Daphnia magna mg/L EC50 Static
50-00-0	Desmodesmus	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static 750 - 1020: 96 h Pimephales promelas mg/L LC50 static 1060: 96 h Lepomis macrochirus mg/L LC50	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min EC50 = 9.0 mg/L 5 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50  825: 48 h Daphnia magna mg/L EC50 83: 48 h Daphnia magna
Potassium Chloride 7447-40-7	Desmodesmus subspicatus mg/L EC50  Algae/aquatic plants	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static 750 - 1020: 96 h Pimephales promelas mg/L LC50 static 1060: 96 h Lepomis macrochirus mg/L LC50 static	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min EC50 = 9.0 mg/L 5 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50  825: 48 h Daphnia magna mg/L EC50 83: 48 h Daphnia magna mg/L EC50 Static  Crustacea
Potassium Chloride 7447-40-7	Desmodesmus subspicatus mg/L EC50	static  0.032 - 0.226: 96 h Oncorhynchus mykiss mL/L LC50 flow-through 100 - 136: 96 h Oncorhynchus mykiss mg/L LC50 static 22.6 - 25.7: 96 h Pimephales promelas mg/L LC50 flow-through 23.2 - 29.7: 96 h Pimephales promelas mg/L LC50 static 1510: 96 h Lepomis macrochirus µg/L LC50 static 41: 96 h Brachydanio rerio mg/L LC50 static 750 - 1020: 96 h Pimephales promelas mg/L LC50 static 1060: 96 h Lepomis macrochirus µg/L LC50 static	EC50 = 16.5 mg/L 30 min EC50 = 3.7 mg/L 5 h EC50 = 5.39 mg/L 72 h EC50 = 6.81 mg/L 25 min EC50 = 7.26 mg/L 15 min EC50 = 9.0 mg/L 5 min	magna mg/L EC50 Static 2: 48 h Daphnia magna mg/L LC50  825: 48 h Daphnia magna mg/L EC50 83: 48 h Daphnia magna mg/L EC50 Static

EN / HGHS Page 7/9

I	static	
	44.2 - 76.5: 96 h	
	Pimephales promelas	
	mg/L LC50 static	

Persistence/Degradability No information available.

**Bioaccumulation** No information available.

Mobility

Chemical name	Partition coefficient
Methanol 67-56-1	-0.77
Formaldehyde 50-00-0	0.35

Other Adverse Effects No information available.

# 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods** 

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

# 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances

**DOT** Not regulated

TDG Not regulated

MEX Not regulated

IATA Not regulated

**IMDG** Not regulated

# 15. REGULATORY INFORMATION

# REGULATORY INFORMATION

## **International Regulations**

Ozone-depleting substances (ODS) Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

**International Inventories** 

Chemical name	TSCA	DSL/NDSL EINE	CS/ELI ENCS	IECSC	KECL	PICCS	AICS

EN / HGHS Page 8/9

			NCS					
Sodium Chloride	Х	Х	Х	Х	X	Х	Х	X
Methanol	Х	Х	X	Х	Х	Х	X	X
Formaldehyde	Х	Х	Х	Х	X	Х	X	Х
Disodium hydrogenphosphate dihydrate		Х		Х	Х		Х	Х
Alcohols, C11-15, secondary	Х	Х		Х	Х	Х	Х	Х
Potassium Phosphate	Х	Х	Х	Х	Х	Х	Х	Х
Potassium Chloride	Х	Х	Х	X	X	Х	X	Х
EDTA	Х	Х	Х	Х	X	Х	Х	Х
Glucose	Х	Х	X	Х	Х	Х	Х	Х
Propidium Iodide			X		Х			

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health Hazards Not Flammability Not Instability Not Special Hazards Not

determined determined determined determined determined determined Health Hazards Not Flammability Not Physical hazards Not Personal Protection Not

<u>HMIS</u> Health Hazards Not Flammability Not Physical hazards Not Personal Protection Not determined determined determined

## Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value
\* Skin designation

Revision Date: 20-Apr-2021

Revision Note: New format.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

EN / HGHS Page 9/9