

Safety Data Sheet

Issue Date: 24-Mar-2021 Revision Date: 16-Apr-2021 Version 1

1. IDENTIFICATION

Product identifier

Product Name DNA Control UV

Product Code 05-7302

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory chemicals

Uses Advised Against No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Sysmex Americas 577 Aptakisic RD Lincolnshire, IL 60069 USA

Emergency telephone number

Initial supplier phone number (224) 543-9500 Emergency Telephone Chemtel 800-255-3924

2. HAZARDS IDENTIFICATION

Appearance Light, yellow liquid Physical state Liquid Odour Slightly pungent

Classification

Skin sensitisation	Category 1
Carcinogenicity	Category 1B

Label elements

Signal word

Danger

Hazard statements

May cause an allergic skin reaction May cause cancer



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapours/spray

Contaminated work clothing should not be allowed out of the workplace

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of water and soap

Take off all contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Methanol	67-56-1	0.1-1	-	-
Formaldehyde	50-00-0	0.1-1	-	-

4. FIRST AID MEASURES

Description of first aid measures

General advice If exposed or concerned: Get medical advice/attention.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a doctor.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a doctor.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms May cause an allergic skin reaction. May cause cancer.

Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically.

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media Foam. Extinguishing powder. Carbon dioxide (CO2). Water spray or fog.

Unsuitable extinguishing media High power water jet.

Specific hazards arising from the

chemical

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide

(CO).

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautionsUse personal protective equipment as required.

Environmental precautions

Environmental precautions Do not discharge into the drains/surface waters/groundwater. See Section 12 for additional

Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up with absorbent material (eg sand, kieselguhr, universal binder).

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Use personal protective equipment as required. Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of

Page 3/9

the workplace. Wear protective gloves.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up.

Incompatible materials Strong oxidising agents Strong acids Strong bases

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	Canada - Alberta - Canada - British		Canada - Ontario -	Quebec
	•	•	•	•

	Occupational Exposure Limits - Ceilings	Columbia - Occupational Exposure Limits - Ceilings	Occupational Exposure Limits - Ceilings	
Formaldehyde 50-00-0	Ceiling: 1 ppm Ceiling: 1.3 mg/m ³ TWA: 0.75 ppm TWA: 0.9 mg/m ³	TWA: 0.1 ppm STEL: 0.3 ppm Dermal Sensitizer, Respiratory Sensitizer	TWA: 0.1 ppm STEL: 1 ppm	Ceiling: 2 ppm Ceiling: 3 mg/m ³
Methanol 67-56-1	TWA: 200 ppm TWA: 262 mg/m³ STEL: 250 ppm STEL: 328 mg/m³ Skin	TWA: 200 ppm STEL: 250 ppm Skin	TWA: 200 ppm STEL: 250 ppm Skin	TWA: 200 ppm TWA: 262 mg/m³ STEL: 250 ppm STEL: 328 mg/m³ Skin

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Safety glasses with side-shields.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Light, yellow liquid Colour Light yellow Slightly pungent Odour Threshold Not determined

Property Values Remarks • Method

pH Not determined
Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation Rate
Flammability (Solid, Gas)
Not determined
Not determined
Not determined
Liquid-Not applicable

Flammability Limit in Air

Upper flammability or explosive Not determined

limits

Lower flammability or explosive Not determined

limits

Vapour PressureNot determinedVapour DensityNot determinedRelative DensityNot determined

Property Values Remarks • Method

Water Solubility
Solubility in other solvents
Partition Coefficient
Autoignition temperature
Decomposition temperature
Kinematic Viscosity
Not determined

Explosive properties Not determined. **Oxidising properties** Not determined.

Other information

Softening Point
Molecular weight
VOC Content (%)
Liquid Density
Not determined

10. STABILITY AND REACTIVITY

Reactivity Not reactive under normal conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to Avoid Keep out of reach of children.

Incompatible materials Strong oxidising agents. Strong acids. Strong bases.

Hazardous decomposition products None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye contact Avoid contact with eyes.

Skin contact Avoid contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 10,204.0816 mg/kg
ATEmix (dermal) 30,612.20 mg/kg
ATEmix (inhalation-dust/mist) 51.10 mg/L
ATEmix (inhalation-vapour) 612.20 mg/L

Unknown acute toxicity Component Information

No information available

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Sodium Chloride 7647-14-5	= 3 g/kg (Rat)	> 10000 mg/kg(Rabbit)	> 42 g/m³(Rat)1 h	
Formaldehyde 50-00-0	= 100 mg/kg(Rat)	> 2000 mg/kg(Rat)	= 0.578 mg/L (Rat)4 h	

Methanol 67-56-1	= 6200 mg/kg(Rat)	= 15840 mg/kg(Rabbit)	= 22500 ppm (Rat) 8 h
Alcohols, C11-15, secondary 68131-40-8	= 2100 mg/kg(Rat)	> 2000 mg/kg (Rat)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Respiratory or skin sensitisation May cause an allergic skin reaction.

Carcinogenicity May cause cancer.

Chemical name	ACGIH	IARC	NTP	OSHA
Formaldehyde	A1	Group 1	Known	Х
50-00-0				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labour)

X - Present

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Sodium Chloride 7647-14-5	-	4747 - 7824: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 5560 - 6080: 96 h Lepomis macrochirus mg/L LC50 flow-through 6020 - 7070: 96 h Pimephales promelas mg/L LC50 static 6420 - 6700: 96 h Pimephales promelas mg/L LC50 static 12946: 96 h Lepomis macrochirus mg/L LC50 static 7050: 96 h Pimephales promelas mg/L LC50 semi-static	-	340.7 - 469.2: 48 h Daphnia magna mg/L EC50 Static 1000: 48 h Daphnia magna mg/L EC50
Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Formaldehyde 50-00-0	-	mL/L LC50 flow-through 100 - 136: 96 h	EC50 = 1.2 mg/L 1 h EC50 = 16.5 mg/L 30 min	2: 48 h Daphnia magna mg/L LC50

	mg/L LC50 static
	22.6 - 25.7: 96 h EC50 = 9.0 mg/L 5 min
	Pimephales promelas
	mg/L LC50 flow-through
	23.2 - 29.7: 96 h
	Pimephales promelas
	mg/L LC50 static
	1510: 96 h Lepomis
	macrochirus µg/L LC50
	static
	41: 96 h Brachydanio
	rerio mg/L LC50 static
Methanol	- 13500 - 17600: 96 h
67-56-1	Lepomis macrochirus
	mg/L LC50 flow-through
	18 - 20: 96 h
	Oncorhynchus mykiss
	mL/L LC50 static
	19500 - 20700: 96 h
	Oncorhynchus mykiss
	mg/L LC50 flow-through
	28200: 96 h Pimephales
	promelas mg/L LC50
	flow-through
	100: 96 h Pimephales
	promelas mg/L LC50
	static

Persistence/Degradability No information available.

Bioaccumulation No information available.

Mobility

Chemical name	Partition coefficient
Methanol 67-56-1	-0.77
Formaldehyde 50-00-0	0.35

Other Adverse Effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances

DOT Not regulated

TDG Not regulated

MEX Not regulated

IATA Not regulated

<u>IMDG</u> Not regulated

15. REGULATORY INFORMATION

REGULATORY INFORMATION

International Regulations

Ozone-depleting substances (ODS) Not applicable

The Stockholm Convention on Persistent Organic Pollutants

Not applicable

The Rotterdam Convention

Not applicable

International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Methanol	Х	Х	Х	Х	Х	Х	Х	Х
Formaldehyde	Х	Х	X	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health Hazards Not determined determined Special Hazards Not determined Special Hazards Not determined determined

HMIS Health Hazards Not Flammability Not Physical hazards Not Personal Protection Not

determined determined determined determined

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value
* Skin designation

Revision Date: 16-Apr-2021

Revision Note: New format.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

EN / HGHS