

Page: 1/14

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 04/12/2016 Revision: 04/12/2016

1 Identification

· Product identifier

· Trade name: Ret-Search II (Dye)

· Article number: No other identifiers

· Recommended use and restriction on use

· Recommended use: Diagnostic testing

· Restrictions on use: No relevant information available.

· Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

SYSMEX AMERICA, Inc

577 Aptakisic Road

Lincolnshire, IL 60069 USA

Phone: 847-996-4500

1-800-3SYSMEX (1-800-379-7639)

· Emergency telephone number:

ChemTel Inc.

+1 (800)255-3924, +1 (813)248-0585

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 3 H226 Flammable liquid and vapor.

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

STOT SE 2 H371 May cause damage to the central nervous system and optic nerve.

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:







GHS02 GHS07 GHS08

· Signal word: Warning

(Cont'd. on page 2)



Page: 2/14

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 04/12/2016 Revision: 04/12/2016

Trade name: Ret-Search II (Dye)

(Cont'd. of page 1)

· Hazard-determining components of labeling:

ethylene glycol methanol

· Hazard statements:

H226 Flammable liquid and vapor.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H371 May cause damage to the central nervous system and optic nerve.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of

exposure: Oral.

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P260 Do not breathe mist/vapors/spray. P264 Wash thoroughly after handling.

P280 Wear protective gloves and eye protection.

P240 Ground/bond container and receiving equipment.

P233 Keep container tightly closed. P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P330 Rinse mouth.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

(Cont'd. on page 3)



Page: 3/14

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 04/12/2016 Revision: 04/12/2016

Trade name: Ret-Search II (Dye)

(Cont'd. of page 2)

3 Composition/information on ingredients
· Chemical characterization: Mixtures
- Components:
107-21-1 ethylene glycol

>80%

♦ STOT RE 2, H373 Acute Tox. 4, H302

3 Composition/information on ingredients

5-<10%

67-56-1 methanol

♠ Flam. Liq. 2, H225

Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331

▲ STOT SE 1, H370

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

Immediately remove any clothing soiled by the product.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Headache

Acidosis

Breathing difficulty

Dizziness

Blindness

Cramp

Nausea in case of ingestion.

Gastric or intestinal disorders when ingested.

Coughing

(Cont'd. on page 4)



Page: 4/14

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 04/12/2016 Revision: 04/12/2016

Trade name: Ret-Search II (Dye)

(Cont'd. of page 3)

Disorientation

· Danger:

May cause damage to the central nervous system and optic nerve.

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Danger of disturbed cardiac rhythm.

Danger of convulsion.

Harmful if swallowed, in contact with skin or if inhaled.

· Indication of any immediate medical attention and special treatment needed:

Contains methanol, ethylene glycol. Consult literature for specific antidotes.

Monitor circulation, possible shock treatment.

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Vapours may cause drowsiness and dizziness.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information:

Eliminate all ignition sources if safe to do so.

Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

Protect from heat

· Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

(Cont'd. on page 5)



Page: 5/14

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 04/12/2016 Revision: 04/12/2016

Trade name: Ret-Search II (Dye)

(Cont'd. of page 4)

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Used rags or other cleaning materials should be soaked with water and placed in a sealed container.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling:

Rags, metal wools / cuttings / shavings and waste papers soaked with product must be placed in a sealed metal container rated for flammable waste.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with acids.

- · Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s): No relevant information available.

(Cont'd. on page 6)



Page: 6/14

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Revision: 04/12/2016 Printing date: 04/12/2016

Trade name: Ret-Search II (Dye)

(Cont'd. of page 5)

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:

107-21-1 ethylene glycol

Long-term value: NIC-10* mg/m³ TLV (USA)

Ceiling limit value: (100) mg/m³ (H);*as inhalable fraction and vapor

Short-term value: 20** mg/m3 EL (Canada)

Long-term value: 10** mg/m³

Ceiling limit value: 100* mg/m³, 50*** ppm

*Aerosol; **Particulate; ***Vapour

EV (Canada) Ceiling limit value: 100 mg/m3 LMPE (Mexico) Ceiling limit value: 100* mg/m³

A4, *solo aerosol

67-56-1 methanol

PEL (USA) Long-term value: 260 mg/m³, 200 ppm

REL (USA) Short-term value: 325 mg/m³, 250 ppm

Long-term value: 260 mg/m³, 200 ppm

Skin

TLV (USA) Short-term value: 328 mg/m³, 250 ppm

Long-term value: 262 mg/m³, 200 ppm

Skin; BEI

Short-term value: 250 ppm EL (Canada)

Long-term value: 200 ppm

Skin

EV (Canada) Short-term value: 325 mg/m³, 250 ppm

Long-term value: 260 mg/m³, 200 ppm

Skin

LMPE (Mexico) Short-term value: 250 ppm

Long-term value: 200 ppm

PIEL. IBE

· Ingredients with biological limit values:

67-56-1 methanol

BEI (USA) 15 mg/L

Medium: urine Time: end of shift

Parameter: Methanol (background, nonspecific)

(Cont'd. on page 7)



Page: 7/14

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 04/12/2016 Revision: 04/12/2016

Trade name: Ret-Search II (Dye)

(Cont'd. of page 6)

- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Do not inhale gases / fumes / aerosols.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Engineering controls: No relevant information available.
- · Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

For the permanent contact gloves made of the following materials are suitable:

PVC gloves

Neoprene gloves

Nitrile rubber, NBR

· Eye protection:



Safety glasses

- · Body protection: Solvent resistant protective clothing
- · Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures See Section 7 for additional information.

(Cont'd. on page 8)



Page: 8/14

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 04/12/2016 Revision: 04/12/2016

Trade name: Ret-Search II (Dye)

(Cont'd. of page 7)

9 Physical and chemical properties				
Information on basic physical and chemical properties Appearance:				
Form:	Viscous liquid.			
Color:	Blue			
· Odor:	Mild			
· Odor threshold:	Not determined.			
· pH-value:	Not determined.			
· Melting point/Melting range:	Not determined.			
 Boiling point/Boiling range: 	Not determined.			
· Flash point:	47 °C (117 °F)			
· Flammability (solid, gaseous):	Not applicable.			
· Auto-ignition temperature:	Not determined.			
· Decomposition temperature:	Not determined.			
· Auto igniting:	Not determined.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
· Vapor pressure at 20 °C (68 °F):	0.06 hPa			
· Density:	Not determined.			
· Relative density at 20 °C (68 °F):	1.09			
 Vapor density at 20 °C (68 °F): 	2.1 g/cm³ (17.525 lbs/gal) (Air= 1)			
· Evaporation rate:	Not determined.			
· Solubility in / Miscibility with				
Water:	Soluble.			
· Partition coefficient (n-octanol/water): Not determined.				
· Viscosity				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
· Other information	No relevant information available.			

(Cont'd. on page 9)



Page: 9/14

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 04/12/2016 Revision: 04/12/2016

Trade name: Ret-Search II (Dye)

(Cont'd. of page 8)

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- · Thermal decomposition / conditions to be avoided: Keep away from heat and direct sunlight.
- Possibility of hazardous reactions:

Combustible liquid.

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids and alkali.

Reacts with strong oxidizing agents.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

· Conditions to avoid:

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

Keep away from heat and direct sunlight.

- · Incompatible materials: No relevant information available.
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Small quantities of formaldehyde may be formed.

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Slight irritant effect on skin and mucous membranes.
- · On the eye: Slight irritant effect on eyes.
- · Sensitization: No sensitizing effects known.
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

(Cont'd. on page 10)



Page: 10/14

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 04/12/2016 Revision: 04/12/2016

Trade name: Ret-Search II (Dye)

(Cont'd. of page 9)

· Probable route(s) of exposure:

Inhalation. Eye contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Harmful if swallowed.

Harmful in contact with skin.

Harmful if inhaled.

Vapors have narcotic effect.

- · Repeated dose toxicity: Repeated exposure may cause skin dryness or cracking.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: May cause damage to the central nervous system and optic nerve.
- · STOT-repeated exposure:

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

· Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects: No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

(Cont'd. on page 11)



Page: 11/14

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 04/12/2016 Revision: 04/12/2016

Trade name: Ret-Search II (Dye)

(Cont'd. of page 10)

Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

14	irans	port	intorn	nation

· UN-Number

· DOT NA1993

Reclassified as combustible under US DOT

regulations. Labeling is ony required for single packages ≥ 119 US gal / 450 L to include

Combustible symbol and Proper Shipping Name.

· ADR, IMDG, IATA UN1993

· UN proper shipping name

· DOT COMBUSTIBLE LIQUID, N.O.S (Methanol, ethylene

glycol)

· ADR 1993 FLAMMABLE LIQUID, N.O.S. (Methanol,

ethylene glycol)

· IMDG FLAMMABLE LIQUID, N.O.S. (Methanol, ethylene

glycol)

·IATA Flammable liquid, n.o.s. (Methanol, ethylene glycol)

Transport hazard class(es)

· DOT



· Class 3 Combustible liquids

· Label

· ADR



3 (F1) Flammable liquids · Class

(Cont'd. on page 12)



Page: 12/14

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 04/12/2016 Revision: 04/12/2016

Trade name: Ret-Search II (Dye)

		(Cont'd. of page 1
Label	3	
· IMDG, IATA		
· Class	3 Flammable liquids	
Label	3	
Packing group DOT, ADR, IMDG, IATA	III	
Environmental hazards Marine pollutant:	No	
Special precautions for user	Warning: Flammable liquids	
Danger code (Kemler):	30	
EMS Number:	F-E, <u>S-E</u>	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- · SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 304 (emergency release notification):

None of the ingredients are listed.

· Sections 311/312 (hazardous chemical threshold planning quantity in pounds):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

All ingredients are listed.

(Cont'd. on page 13)



Page: 13/14

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 04/12/2016 Revision: 04/12/2016

Trade name: Ret-Search II (Dye)

(Cont'd. of page 12)

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

67-56-1 methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

- · Canadian substance listings
- · Canadian Domestic Substances List (DSL):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 04/12/2016 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

(Cont'd. on page 14)



Page: 14/14

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 04/12/2016 Revision: 04/12/2016

Trade name: Ret-Search II (Dye)

(Cont'd. of page 13)

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids, Hazard Category 2 Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 3: Acute toxicity, Hazard Category 3
Acute Tox. 4: Acute toxicity, Hazard Category 4
STOT SE 1: Specific target organ toxicity - Single exposure, Hazard Category 1 STOT SE 2: Specific target organ toxicity - Single exposure, Hazard Category 2 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com