

Page: 1/9

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

1 Identification

· Product identifier

- · Trade name: STROMATOLYSER-NR(S) DYE
- CAS Number: 107-21-1
- · Recommended use and restriction on use
- Recommended use: Diagnostic testing
- Restrictions on use: No relevant information available.
- · Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier: SYSMEX AMERICA, Inc 577 Aptakisic Road Lincolnshire, IL 60069 USA Phone: 847-996-4500 1-800-3SYSMEX (1-800-379-7639)
- Emergency telephone number: ChemTel Inc. (800)255-3924 (North America)

+1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms:



GHS07 GHS08

· Signal word: Warning

· Hazard statements:

H302 Harmful if swallowed.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

- · Precautionary statements:
- P260 Do not breathe mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.

(Cont'd. on page 2)



Page: 2/9

(Cont'd. of page 1)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: STROMATOLYSER-NR(S) DYE

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

107-21-1 Ethylene glycol

4 First-aid measures

| Description of first aid measures | |
|---|---------------------|
| After inhalation: | |
| Supply fresh air; consult doctor in case of complaints. | |
| Provide oxygen treatment if affected person has difficulty breathing. | |
| · After skin contact: | |
| Immediately remove any clothing soiled by the product. | |
| Immediately wash with water and soap and rinse thoroughly. | |
| If skin irritation is experienced, consult a doctor. | |
| After eye contact: | |
| Remove contact lenses if worn. | |
| Rinse opened eye for several minutes under running water. If symptoms persist, consult a d | octor. |
| · After swallowing: | |
| Rinse out mouth and then drink plenty of water. | |
| Do not induce vomiting; immediately call for medical help. | |
| Most important symptoms and effects, both acute and delayed: | |
| Headache | |
| Coughing | |
| Dizziness | |
| Acidosis | |
| Cramp | |
| Gastric or intestinal disorders when ingested. | |
| Nausea in case of ingestion. | |
| Disorientation | |
| · Danger: | |
| Harmful if swallowed. | |
| May cause damage to the kidneys through prolonged or repeated exposure. Route of expos | sure: Oral. |
| Indication of any immediate medical attention and special treatment needed: | |
| Medical supervision for at least 48 hours. | |
| Monitor circulation, possible shock treatment. | |
| | (Cont'd. on page 3) |
| | |



Page: 3/9

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: STROMATOLYSER-NR(S) DYE

(Cont'd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray.
- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- Protective equipment:
- · Protective equipment:

Wear self-contained respiratory protective device.

- Wear fully protective suit.
- Additional information:

Cool endangered receptacles with water spray.

Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

· Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling

Precautions for safe handling:
 Open and handle receptacle with care.
 Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

• Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

(Cont'd. on page 4)



Page: 4/9

(Cont'd. of page 3)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: STROMATOLYSER-NR(S) DYE

Avoid storage near extreme heat, ignition sources or open flame. Store in cool, dry conditions in well sealed receptacles.

• Information about storage in one common storage facility: Store away from foodstuffs.

• Specific end use(s) No relevant information available.

| Componenter | neters |
|--|---|
| • | vith limit values that require monitoring at the workplace: |
| 107-21-1 Ethyle | |
| TLV (USA) | Short-term value: 10** mg/m ³ , 50* ppm Long-term value: 25* ppm *vapor fraction:**inh. fraction, aerosol only |
| WEEL (USA) | Long-term value: 10 mg/m ³ |
| EL (Canada) | Short-term value: 20** mg/m ³ Long-term value: 10** mg/m ³ Ceiling limit value: 100* mg/m ³ , 50*** ppm *Aerosol; **Particulate; ***Vapour |
| EV (Canada) | Ceiling limit value: 100 mg/m ³ |
| LMPE (Mexico) | Ceiling limit value: 100* mg/m ³ A4, *solo aerosol |
| The usual preca Keep away from | c tive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. |
| The usual preca Keep away from Wash hands be Immediately ren Do not inhale ga Avoid contact w Engineering co Breathing equi Not required un Use suitable res | autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. If ore breaks and at the end of work. In ove all soiled and contaminated clothing. If ases / fumes / aerosols. If the eyes and skin. If the eyes and |
| The usual preca Keep away from Wash hands be Immediately rem Do not inhale ga Avoid contact w Engineering co Breathing equi Not required un Use suitable res For spills, respir Protection of h | autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. If ore breaks and at the end of work. In ove all soiled and contaminated clothing. If ases / fumes / aerosols. If the eyes and skin. If the eyes and |
| The usual preca Keep away from Wash hands be Immediately ren Do not inhale ga Avoid contact w Engineering co Breathing equi Not required un- Use suitable res For spills, respir Protection of h Protect | autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. Infore breaks and at the end of work. Inove all soiled and contaminated clothing. Inove all soiled and contaminated clothing. Investigation of the eyes and skin. Introls: No relevant information available. Introls: No relevant inform |



Page: 5/9

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: STROMATOLYSER-NR(S) DYE

(Cont'd. of page 4) Neoprene gloves · Eye protection: Safety glasses Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment No relevant information available.

· Risk management measures No relevant information available.

| Physical and chemical property | ties | |
|--|---|------------------|
| · Information on basic physical an | d chemical properties | |
| · Appearance: | | |
| Form: | Viscous liquid. | |
| Color: | Blue | |
| · Odor: | Mild | |
| · Odor threshold: | Not determined. | |
| · pH-value: | Not determined. | |
| Melting point/Melting range: | -12 °C (10.4 °F) | |
| Boiling point/Boiling range: | 198 °C (388.4 °F) | |
| · Flash point: | 128 °C (262.4 °F) | |
| · Flammability (solid, gaseous): | Not applicable. | |
| · Auto-ignition temperature: | 410 °C (770 °F) | |
| Decomposition temperature: | Not determined. | |
| · Danger of explosion: | Product does not present an explosion hazard. | |
| · Explosion limits | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Oxidizing properties: | Non-oxidizing. | |
| · Vapor pressure: | Not determined. | |
| · Density: | | |
| Relative density: | 1.11 | |
| Vapor density: | Not determined. | |
| Evaporation rate at 20 °C (68 °F): | 0.01 | |
| · Solubility in / Miscibility with | | |
| Water: | Soluble. | |
| | | (Cont'd. on page |



Page: 6/9

(Cont'd. of page 5)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: STROMATOLYSER-NR(S) DYE

· Partition coefficient (n-octanol/water): Not determined.

 Viscosity Dvnamic:

Kinematic:

· Other information

Not determined. Not determined. No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions
- Reacts with strong acids and alkali.
- Reacts with strong oxidizing agents.
- Toxic fumes may be released if heated above the decomposition point.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

- · Conditions to avoid Excessive heat.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products

Under fire conditions only: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Harmful if swallowed.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: Slight irritant effect on skin and mucous membranes.
- On the eye: Slight irritant effect on eyes.
- · Sensitization: No sensitizing effects known.
- · IARC (International Agency for Research on Cancer):
- Substance is not listed.

• NTP (National Toxicology Program):

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

• **Probable route(s) of exposure:** Ingestion.

(Cont'd. on page 7)



Page: 7/9

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: STROMATOLYSER-NR(S) DYE

(Cont'd. of page 6)

Inhalation.

Eye contact.

Skin contact.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

- Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure:
- May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT, ADR/RID/ADN, IMDG, IATA

Not regulated.

(Cont'd. on page 8)



Page: 8/9

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: STROMATOLYSER-NR(S) DYE

| | (Cont'd. of | pag |
|---|--|-----|
| UN proper shipping name DOT, ADR/RID/ADN, IMDG, IATA | Not regulated. | |
| · Transport hazard class(es) | | |
| · DOT, ADR/RID/ADN, IMDG, IATA · Class | Not regulated. | |
| Packing group DOT, ADR/RID/ADN, IMDG, IATA | Not regulated. | |
| Environmental hazards Marine pollutant: | Νο | |
| · Special precautions for user | Not applicable. | |
| · Transport in bulk according to Anno | ex II of | |
| MARPOL73/78 and the IBC Code | Not applicable. | |
| | | |
| Regulatory information | | |
| mixture • United States (USA) | regulations/legislation specific for the substan | ce |
| mixture · United States (USA) · SARA · Section 302 (extremely hazardous subs | | Ce |
| mixture • United States (USA) • SARA • Section 302 (extremely hazardous subs Substance is not listed. | tances): | |
| mixture • United States (USA) • SARA • Section 302 (extremely hazardous subs Substance is not listed. | tances): | |
| mixture • United States (USA) • SARA • Section 302 (extremely hazardous subs Substance is not listed. • Section 355 (extremely hazardous subs Substance is not listed. | itances): | |
| mixture • United States (USA) • SARA • Section 302 (extremely hazardous subs Substance is not listed. • Section 355 (extremely hazardous subs Substance is not listed. | itances): | |
| mixture United States (USA) SARA Section 302 (extremely hazardous subs Substance is not listed. Section 355 (extremely hazardous subs Substance is not listed. Section 313 (Specific toxic chemical list Substance is listed. | itances): | |
| mixture United States (USA) SARA Section 302 (extremely hazardous subs Substance is not listed. Section 355 (extremely hazardous subs Substance is not listed. Section 313 (Specific toxic chemical list Substance is listed. | itances): | |
| mixture United States (USA) SARA Section 302 (extremely hazardous subs Substance is not listed. Section 355 (extremely hazardous subs Substance is not listed. Section 313 (Specific toxic chemical list Substance is listed. TSCA (Toxic Substances Control Act) Substance is listed. | itances): | |
| mixture United States (USA) SARA Section 302 (extremely hazardous subs Substance is not listed. Section 355 (extremely hazardous subs Substance is not listed. Section 313 (Specific toxic chemical list Substance is listed. TSCA (Toxic Substances Control Act) Substance is listed. Proposition 65 (California) Chemicals known to cause cancer: | itances): | |
| mixture • United States (USA) • SARA • Section 302 (extremely hazardous subs Substance is not listed. • Section 355 (extremely hazardous subs Substance is not listed. • Section 313 (Specific toxic chemical list Substance is listed. • TSCA (Toxic Substances Control Act) | itances): | |
| mixture United States (USA) SARA Section 302 (extremely hazardous subs Substance is not listed. Section 355 (extremely hazardous subs Substance is not listed. Section 313 (Specific toxic chemical list Substance is listed. TSCA (Toxic Substances Control Act) Substance is listed. Proposition 65 (California) Chemicals known to cause cancer: Substance is not listed. Chemicals known to cause development | tings): | |
| mixture United States (USA) SARA Section 302 (extremely hazardous subs Substance is not listed. Section 355 (extremely hazardous subs Substance is not listed. Section 313 (Specific toxic chemical list Substance is listed. TSCA (Toxic Substances Control Act) Substance is listed. Proposition 65 (California) Chemicals known to cause cancer: Substance is not listed. Chemicals known to cause development Substance is not listed. | tances): tings): tings): | |
| mixture United States (USA) SARA Section 302 (extremely hazardous subs Substance is not listed. Section 355 (extremely hazardous subs Substance is not listed. Section 313 (Specific toxic chemical list Substance is listed. TSCA (Toxic Substances Control Act) Substance is listed. Proposition 65 (California) Chemicals known to cause cancer: Substance is not listed. Chemicals known to cause development Substance is not listed. Chemicals known to cause development | tances): tings): tings): | |
| mixture United States (USA) SARA Section 302 (extremely hazardous subs Substance is not listed. Section 355 (extremely hazardous subs Substance is not listed. Section 313 (Specific toxic chemical list Substance is listed. TSCA (Toxic Substances Control Act) Substance is listed. Proposition 65 (California) Chemicals known to cause cancer: Substance is not listed. Chemicals known to cause development Substance is not listed. | tances): tances): tings): tings): tal toxicity for females: tal toxicity for males: | |



Page: 9/9

(Cont'd. of page 8)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 05, 2019

Revision: February 05, 2019

Trade name: STROMATOLYSER-NR(S) DYE

107-21-1 Ethylene glycol

· EPA (Environmental Protection Agency):

Substance is not listed.

• IARC (International Agency for Research on Cancer):

Substance is not listed.

· Canadian Domestic Substances List (DSL) (Substances not listed.):

Substance is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Acute Tox. 4: Acute toxicity - Category 4 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com